


UNIT 11



PRODUCTION UNIT 11

		PROD 1-25	PROD 1-26	PREVIEW		PROGRAM		PROD 1-29	PROD 1-30		
		PROD 1-27	PROD 1-28	PROD 1-33		PROD 1-34		PROD 1-31	PROD 1-32		
PROD 1-1	PROD 1-2	PROD 1-5	PROD 1-6	PROD 1-9	PROD 1-10	PROD 1-13	PROD 1-14	PROD 1-17	PROD 1-18	PROD 1-21	PROD 1-22
PROD 1-3	PROD 1-4	PROD 1-7	PROD 1-8	PROD 1-11	PROD 1-12	PROD 1-15	PROD 1-16	PROD 1-19	PROD 1-20	PROD 1-23	PROD 1-24

DESK 11		DESK 12	

DESK 21		DESK 22	

Truck Specifications

Weight	
License Plate	
Tractor weight	7 ton
Power Consumption	40 kVA on 3-Phase, 400V, 63 A CEE (P17) connector
Height	
Lenght	
Width	

Equipement Specifications

Cameras	Up to 16 Sony High- or Standard Definition Cameras BVP950;BVP9500;BVP500;BVP550;HDC950;HDC1550
Switcher	GVG Kayak 250, 2.5 ME, HD/SD Switchable 48 inputs;24 outputs;6 ch Ramrecorder, 4 ch DVE Chroma Keyers
Matrix Patch	GVG Concerto: 128 x 128 full HD ADC, 1248 Patch Points
Monitorwall	32 source monitors on 8 x 23" Sony LMD with Axon Quad splits 2 x 23" Sony LMD for PGM and PVW
Rec / Play	Up to 14 VTR : Digital Betacam, HD cam, Betacam SX, Up to 8 HDR : EVS XT2, GVG Turbo, Tektronix PDR100, 2 x VHS/DVD combo, 1 x DVD recorder
Glue	Snell & Wilcox 6200, Barco Folsom Image Pro HD, Leitch, Axon, As requested
Mixer	2 x Yamaha DM2000 cascaded 48 mic/line inputs, precabled for multitrack recording
Matrix Patch	32 x 32 Analog Stereo, 64 x 64 AES Stereo Ghielmetti, 1632 Patch Points
Monitoring	Genelec 8040 Active Near Field Monitors, 5.1 Surround
Rec / Play	CD, Minidisk, DAT, Hard Disk
Inserts	Dbmax, TC electronics M6000, MaxxBASE As requested
(De)Embedders	3 Axon HXT10 with embedding, downconversion and pal coding, 3 deembedders
Intercom	Clearcom Matrix Plus3 : 64 x 64 14 internal ICS stations 3 external ICS stations 8 x 2 wire interface 28 x 4 wire Telos ISDN Codec
ISDN/PSTN	EELA Telephone Hybrids Motorola GP340 - Rieface
Wireless	Radiocom BTR 700 / BTR 800 Icom Receivers