





**UNIT 4**



PRODUCTION UNIT 4



**Truck Specifications**

Weight	14 Ton
License Plate	LLE - 528
Power Consumption	30 kVA on 3-Phase, 400V, 63A CEE (P17) connector
Height	3,70 m
Lenght	11,50 m
Width	2,55 m

**Equipement Specifications**

Cameras	Up to 8 Sony High- or Standard Definition Cameras BVP950;BVP9500;BVP500;BVP550;HDC950;HDC1550
Switcher	GVG Kayak 150, 1.5 ME, HD/SD Switchable 24 inputs;12outputs;6 ch Ramrecorder, DVE with Glow/Defocus, Chroma Keyers
Matrix	Leitch 32 x 32 SDI GVG Pal router
Patch	ADC, 480 Patch Points
Monitorwall	14 x Barco 14" 16/9 CRT Monitors 20" PGM monitor 4 x Avitech Quad split on Neovo TFT Screens
Rec / Play	Up to 6 VTR : Digital Betacam, HD cam, Betacam SX, .... Up to 4 HDR : EVS XT2, GVG Turbo, Tektronix PDR100, .... 2 x VHS/DVD combo
Glue	Snell & Wilcox 6200, Barco Folsom Image Pro HD, Leitch, Axon, .... As requested
Mixer	Soundcraft MH3 32 Mic/line inputs, 6 Stereo inputs
Patch	Ghielmetti, 864 Patch Points
Monitoring	Dynaudio C2
Rec / Play	CD, Minidisk, DAT, Hard Disk
Inserts	Dbmax, 8 x BSS compressor/limiter, 2 x UREI 7110, As requested
(De)Embedders	2
Intercom	Clearcom Matrix Plus2 : 28x28 10 internal ICS stations 2 external ICS stations 4 x 2 wire interface 8 x 4 wire interface
ISDN/PSTN	Telos ISDN Codec EELA Telephone Hybrids
Wireless	Motorola GP340 - Riface Radiocom BTR 700 Icom Receivers